

ACCESSORIES



FREEDOM PET DOOR

Factory Installed - Available on Flush Doors Only

- Solid aluminum construction with locking panel
- Soft single flap for tight weather seal
- White mitered aluminum frame
- Also available on entry doors. See page 118.
- Also available on additional storm door styles. See Price List pg. 188.
- Only available with heavy-duty closer, Pet Door N/A with dual closers

Medium

8 $\frac{1}{8}$ " x 11 $\frac{1}{4}$ " opening for pets up to 40 lbs.

Large

10 $\frac{1}{8}$ " x 15 $\frac{1}{4}$ " opening for pets up to 100 lbs.

X-Large

13 $\frac{3}{8}$ " x 23" opening for pets up to 220 lbs.




#279 Flush Half-Lite
with Pet Door Option



#379 Self-Storing with Pet Door
Option Includes full screen

Pg. 188 ProVia® Door Price List



Brass-look piano hinge and bottom expander

PIANO HINGE & BOTTOM EXPANDER



Satin Nickel piano hinge and bottom expander



Aged Bronze piano hinge and bottom expander

Pg. 191 ProVia® Door Price List

Our **air release system** features a continuous closing action without the delayed rebound action of previous generation closers.



EASY-SET CLOSER

Just a slight push on the cap and it'll stay open. Push door open further and it releases. Color matched to door.

Pg. 191 ProVia® Door Price List



#079 Self-Storing with mail slot option

MAGAZINE & MAIL SLOT

Lifetime Bright Brass, Lifetime Satin Nickel and Lifetime Aged Bronze magazine and mail slots are available on #074, #079, #279, #374 and #379.

Pg. 188 ProVia® Door Price List



FLORIDA

Impact Shield Products are designed to protect your family and home against the harshest storms and deter burglars. All entry systems and patio doors in this Impact Shield Products section are wind-borne debris resistant and approved by the State of Florida. floridabuilding.org

- Impact Shield
- Certified Wind Load
- High-Velocity Hurricane Zones
(ProVia products have not been tested for use in High-Velocity Hurricane Zones)




TEXAS

Impact Shield Products have been tested for the Designated Catastrophe Areas in Texas. Refer to provia.com/certification for a complete listing of approved products.

Designated Catastrophe Areas

TEXAS FIRST TIER COASTAL COUNTIES
& CERTAIN AREAS LOCATED IN HARRIS COUNTY
EAST OF HWY 146




- Seaward of Intracoastal Canal
Impact Region
- Inland (I) of Intracoastal Canal
Impact Region for All Glazed Product
Wind Load Region for All Opaque Product
- Inland (II) of Intracoastal Canal
Wind Load Region

We're constantly testing new Certified Wind Load and Impact Shield products. For the latest information visit: provia.com/certification


All of our Impact Shield Products feature ComforTech™ laminated glass.

ComforTech™ TLK-C
ComforTech™ TLK-UV-C




■ ■ ■ ■ ■ ■ ■ ■ ■ ■
R-Value of 9

ComforTech™ TLA-C
ComforTech™ TLA-UV-C




■ ■ ■ ■ ■ ■ ■ ■ ■ ■
R-Value of 6

ComforTech™ DLA-C
ComforTech™ DLA-UV-C



■ ■ ■ ■ ■ ■ ■ ■ ■ ■
R-Value of 4

ComforTech™ DC-C



■ ■ ■ ■ ■ ■ ■ ■ ■ ■
R-Value of 2

R-Value reflects properties of the glass only. Center of glass calculations are based upon software from Lawrence Berkeley National Laboratory.



Entry Systems ComforTech™ Glass Package	R-Value	Solar Heat Gain Coefficient (SHGC)	Visible Light	UV Transmittance
INSULATED GLASS UNIT				
1" ComforTech DC-C	2	0.72	80%	59%
1" ComforTech DLA-C	4	0.39	71%	20%
1" ComforTech DLA-UV-C	4	0.27	63%	5.9%
1 1/8" ComforTech TLA-C	5	0.33	54%	6.9%
1 1/8" ComforTech TLA-UV-C	5	0.23	45%	0.7%
1 1/8" ComforTech TLK-C	6	0.33	54%	6.9%
1 1/8" ComforTech TLK-UV-C	6	0.23	45%	0.7%


LIFETIME

— LIMITED WARRANTY —
Includes Glass Breakage
and Seal Failure



Look for indicated
ENERGY STAR® Certified
Impact Shield Products.


ENTRY DOOR AND DESIGNER™ PATIO DOOR IMPACT SHIELD FEATURES




All glass for Impact Shield Products is laminated to provide protection against wind-borne debris.



Heavy-duty stainless steel hinges resist corrosion and are standard in wind-borne debris regions.



Smooth Steel




Textured Steel

Aluminum window trim of our own exclusive design provides ultimate durability in the harshest of elements. Textured Steel doors have hand-stained smooth aluminum window trim.



VINYL SLIDING PATIO DOOR IMPACT SHIELD FEATURES



All glass for Impact Shield Products is laminated to provide protection against wind-borne debris.



Additional heavy aluminum interlock on center stile adds durability and strength.



STORM DOORS

All ProVia® storm doors are available for use in the Impact Shield regions. While storm doors help protect your entry door from the elements, they are NOT wind-borne debris tested, and therefore are NOT considered an Impact Shield Product.



ESSENCE

612/613ESZ ‡ ** pg. 30



160ESZ
pg. 14

460ESZ
pg. 12


160ESZ
pg. 14



770ESZ§
pg. 16

440ESZ†
pg. 10

770ESZ§
pg. 16



430ESZ†
pg. 8

8' Essence



430ESZ
pg. 20

CHEYENNE

512/513CHP ‡ pg. 28



160CHP
pg. 14

460CHP
pg. 12

160CHP
pg. 14




440CHP†
pg. 10

8' Cheyenne




430CHP†
pg. 8



430CHZ
pg. 20

BRILLIANCE

512/513BRZ ‡ pg. 28



160BRZ
pg. 14

460BRZ
pg. 12

160BRZ
pg. 14




440BRZ†
pg. 10



430BRZ†
pg. 8

8' Brilliance



430BRP
pg. 20

SYMPHONY

612/613SYA ‡ ** pg. 30



160SYA
pg. 14

460SYA
pg. 12

160SYA
pg. 14



532SYA** pg. 32



770SYA§
pg. 16

440SYA†
pg. 10

770SYA§
pg. 16

712/713SYA ‡ ** pg. 27



160SYA
pg. 14

430SYA†
pg. 8

160SYA
pg. 14

8' Symphony



430SYA
pg. 20



512/513SYA ‡ pg. 28



160SYA
pg. 23

460SYA
pg. 22

160SYA
pg. 23

** Requires an additional 4-week lead time

† For additional door panel styles see pg. 22 (for Legacy™)

§ Also available in 10" width. See Price List for design pattern

‡ All transoms must be installed in a separate opening or use approved engineering mulls

NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel.

Woodgrain Textured Steel is NOT available in 8' doors and sidelites.

Direct-Set sidelites can be used with all door types.

BERKLEY


612/613BEA ** pg. 30



160BEA
pg. 14

460BEA
pg. 12

160BEA
pg. 14



770BEA§
pg. 16

440BEA†
pg. 10

770BEA§
pg. 16



430BEA†
pg. 8


8' Berkley



430BEA
pg. 20

LAURENCE

612/613LAU ‡ ** pg. 30



160LAU
pg. 14

460LAU
pg. 12

160LAU
pg. 14



440LAU†
pg. 10



430LAU†
pg. 8


8' Laurence



430LAU
pg. 20

CARRINGTON

612/613CAR ‡ ** pg. 30




160CAR
pg. 14

460CAR
pg. 12

160CAR
pg. 14


712/713CAR ‡ ** pg. 27



770CAR§
pg. 16


440CAR†
pg. 10

770CAR§
pg. 16



430CAR†
pg. 8

8' Carrington



430CAR
pg. 20

** Requires an additional 4-week lead time

† For additional door panel styles see pg. 22 (for Legacy™)


‡ All transoms must be installed in a separate opening or use approved engineering mulls

NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel. Woodgrain Textured Steel is NOT available in 8' doors and sidelites. Direct-Set sidelites can be used with all door types.




TACOMA

612/613TAC ‡** pg. 30



8' Tacoma



SOMERSET

612/613SOM ‡** pg. 30




712/713SOM ‡** pg. 27





512/513SOM ‡ pg. 28




8' Somerset



CARMEN





8' Carmen




Note: The Outside View / Inside View photos shown below also apply to Carmen glass

BARCELONA



8' Barcelona



Outside View



Inside View

Note: In Impact Shield regions, the gluechip glass (or other privacy glass) is positioned to the outside face of the wrought iron.

** Requires an additional 4-week lead time

† For additional door panel styles see pg. 22 (for Legacy™)

§ Also available in 10" width. See Price List for design pattern

‡ All transoms must be installed in a separate opening or use approved engineering mulls

NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel.

Woodgrain Textured Steel is NOT available in 8' doors and sidelites.

Direct-Set sidelites can be used with all door types.

LYNFORD


612/613LYN** ☼ pg. 30



160LYN pg. 14 460LYN pg. 12 160LYN pg. 14



770LYN§ pg. 16 440LYN† pg. 10 770LYN§ pg. 16



430LYN† pg. 8

8' Lynford



430LYN† pg. 20

CONSTANCE

612/613COB ‡ ** pg. 30



160COB pg. 14 460COB pg. 12 160COB pg. 14

712/713COZ ‡ ** pg. 27



160COZ pg. 14 440COZ† pg. 10 160COZ pg. 14

512/513COB ‡ pg. 28



770COB§ pg. 16 430COB† pg. 8 770COB§ pg. 16


8' Constance



430COZ pg. 20

TRANQUILITY

612/613TRP ‡ ** pg. 30



160TRP pg. 14 460TRP pg. 12 160TRP pg. 14



440TRP† pg. 10



430TRP† pg. 8

8' Tranquility



430TRZ pg. 20

** Requires an additional 4-week lead time

† For additional door panel styles see pg. 22 (for Legacy™)

‡ All transoms must be installed in a separate opening or use approved engineering mulls

NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel. Woodgrain Textured Steel is NOT available in 8' doors and sidelites. Direct-Set sidelites can be used with all door types.



GEMSTONE

612/613GEM ‡ ** pg. 30



160GEM pg. 14 460GEM pg. 12 160GEM pg. 14



440GEM† pg. 10



430GEM† pg. 8

8' Gemstone




430GEM pg. 20

JEWEL

612/613JWL ‡ ** pg. 30



160JWL pg. 14 460JWL pg. 12 160JWL pg. 14




430JWL† pg. 8

ECLIPSE

612/613ECB ‡ ** pg. 30




160ECB pg. 14 460ECB pg. 12 160ECB pg. 14



430ECB† pg. 8

FLORENCE


612/613FLP ‡ ** pg. 30



160FLP pg. 14 460FLP pg. 12 160FLP pg. 14



440FLP† pg. 10



430FLP† pg. 8

8' Florence



430FLP pg. 20

ESMOND

612/613ESM ‡ ** pg. 30



160ESM pg. 14 460ESM pg. 12 160ESM pg. 14

712/713ESM ‡ ** pg. 27



770ESM§ pg. 16

440ESM† pg. 10

770ESM§ pg. 16

512/513ESM ‡ pg. 28



160ESM pg. 14

430ESM† pg. 8

160ESM pg. 14

8' Esmond



430ESM pg. 20

** Requires an additional 4-week lead time


† For additional door panel styles see pg. 22 (for Legacy™)

§ Also available in 10" width. See Price List for design pattern

‡ All transoms must be installed in a separate opening or use approved engineering mulls

NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel. Woodgrain Textured Steel is NOT available in 8' doors and sidelites. Direct-Set sidelites can be used with all door types.


CARLISLE




8' Carlisle



BEVELED



TWILIGHT



PRIVACY



8' Privacy



** Requires an additional 4-week lead time

† For additional door panel styles see pg. 22 (for Legacy™)

‡ All transoms must be installed in a separate opening or use approved engineering mulls

NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel. Woodgrain Textured Steel is NOT available in 8' doors and sidelites. Direct-Set sidelites can be used with all door types.



INTERNAL GRIDS



612/613DC-IGS ‡ ** pg. 31



712/713DC-IGS ‡ ** pg. 27




512/513DC-IGS ‡ pg. 29



612/613DC-IGT ‡ ** pg. 31



516DC-IGS ‡ pg. 32




616DC-IGT ‡ pg. 29



532DC-IGS ‡ pg. 32



616DC-IGP ‡ pg. 29



460DC-IGT
pg. 13




160DC-IGT
pg. 15



460DC-IGP
pg. 13



160DC-IGP
pg. 15




460DC-IGC
pg. 13




160DC-IGC
pg. 15




440DC-IGT
pg. 11




770DC-IGT§
pg. 17




440DC-IGP†
pg. 11




770DC-IGP§
pg. 17




440DC-IGC†
pg. 11




770DC-IGC§
pg. 17



430DC-IGT†
pg. 9



430DC-IGP†
pg. 9



430DC-IGC†
pg. 9

8' Internal Grids



460DC-IGT
pg. 22



160DC-IGT
pg. 23



460DC-IGC
pg. 22




160DC-IGC
pg. 23



430DC-IGT
pg. 21



770DC-IGT§
pg. 25



430DC-IGP
pg. 21



430DC-IGC
pg. 21



770DC-IGC§
pg. 25

** Requires an additional 4-week lead time

† For additional door panel styles see pg. 22 (for Legacy™)

§ Also available in 10" width. See Price List for design pattern

‡ All transoms must be installed in a separate opening or use approved engineering mulls

NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel.

Woodgrain Textured Steel is NOT available in 8' doors and sidelites.

Direct-Set sidelites can be used with all door types.

CLEAR GLASS




512/513DC ‡ pg. 29



712/713DC ‡ ** pg. 27



612/613DC ‡ ** pg. 31



616DC ‡ pg. 29



532DC ‡ pg. 32



516DC ‡ pg. 32



460DC
pg. 13

160DC
pg. 15


440DC†
pg. 11

770DC§
pg. 17




460 Clear Glass entry systems with TLK-C are ENERGY STAR® Certified.

440 Clear Glass entry systems with TLA-C or TLK-C are ENERGY STAR Certified.



430DC†
pg. 9



430DC-F†
pg. 9

8' Clear Glass



460DC
pg. 22

160DC
pg. 23



430DC
pg. 21

770DC§
pg. 25



430DC-2P

Impact Shield

** Requires an additional 4-week lead time

† For additional door panel styles see pg. 22 (for Legacy™)

§ Also available in 10" width


‡ All transoms must be installed in a separate opening or use approved engineering mulls

NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel. Woodgrain Textured Steel is NOT available in 8' doors and sidelites. Direct-Set sidelites can be used with all door types.



All Doors Without Glass are
ENERGY STAR® Certified.


DOORS WITHOUT GLASS See chart on pg. 88 for style availability




009
pg. 7




008P
pg. 7



008
pg. 7




006C
pg. 7



006
pg. 6




004
pg. 6



003M
pg. 6



003
pg. 6




003C
pg. 6




002C-449
pg. 5



002CP-449
pg. 5




002
pg. 5



002C-437
pg. 5




002CP-437
pg. 5



002-440
pg. 5




002P-440
pg. 5




001*
pg. 7


8' Doors Without Glass



001
pg. 19




002C-449
pg. 19



002CP-449
pg. 19



002C-437
pg. 19



002CP-437
pg. 19



002
pg. 19



006
pg. 19



008P
pg. 19

* Not available in Signet®

‡ All transoms must be installed in a separate opening or use approved engineering mulls

NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel.

Woodgrain Textured Steel is NOT available in 8' doors and sidelites.


Direct-Set sidelites can be used with all door types.

INSPIRATIONS™ ART GLASS

VOYAGE




8' Voyage




HARBOR



8' Harbor



AMERICANA



8' Americana



** Requires an additional 4-week lead time
† For additional door panel styles see pg. 22 (for Legacy™)
§ Also available in 10" width. See Price List for design pattern

‡ All transoms must be installed in a separate opening or use approved engineering mulls
NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel. Woodgrain Textured Steel is NOT available in 8' doors and sidelites. Direct-Set sidelites can be used with all door types.




VINTAGE



8' Vintage




LINCOLN



8' Lincoln



TULIPS



8' Tulips



** Requires an additional 4-week lead time

† For additional door panel styles see pg. 22 (for Legacy™)

§ Also available in 10" width. See Price List for design pattern

‡ All transoms must be installed in a separate opening or use approved engineering mulls

NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel.

Woodgrain Textured Steel is NOT available in 8' doors and sidelites.

Direct-Set sidelites can be used with all door types.




HARMONY



460HAR
pg. 13



160HAR
pg. 15



440HAR†
pg. 11



770HAR§
pg. 17



430HAR†
pg. 9



712/713HAR ‡ ** pg. 27



512/513HAR ‡ pg. 29




612/613HAR ‡ ** pg. 31



532HAR ‡ pg. 32

8' Harmony



460HAR
pg. 22



160HAR
pg. 23



430HAR
pg. 21



770HAR§
pg. 24

AZTEC



460AZT
pg. 13



160AZT
pg. 15



440AZT†
pg. 11




770AZT§
pg. 17




430AZT†
pg. 9




712/713AZT ‡ ** pg. 27



512/513AZT ‡ pg. 28




612/613AZT ‡ ** pg. 31



532AZT ‡ pg. 32

8' Aztec



460AZT
pg. 22



160AZT
pg. 23



430AZT
pg. 21



770AZT§
pg. 24

HAVEN



460HAV
pg. 13




160HAV
pg. 15



440HAV†
pg. 10



770HAV§
pg. 17




430HAV†
pg. 9




712/713HAV ‡ ** pg. 27



512/513HAV ‡ pg. 28



612/613HAV ‡ ** pg. 30



532HAV ‡ pg. 32

8' Haven



460HAV
pg. 22



160HAV
pg. 23



430HAV
pg. 21



770HAV§
pg. 24

** Requires an additional 4-week lead time

† For additional door panel styles see pg. 22 (for Legacy™)

§ Also available in 10" width. See Price List for design pattern

‡ All transoms must be installed in a separate opening or use approved engineering mulls

NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel.


Woodgrain Textured Steel is NOT available in 8' doors and sidelites.

Direct-Set sidelites can be used with all door types.


BLOSSOMS



8' Blossoms




CAMBRIA




8' Cambria



WESTIN



8' Westin




** Requires an additional 4-week lead time
 † For additional door panel styles see pg. 22 (for Legacy™)
 § Also available in 10" width. See Price List for design pattern

‡ All transoms must be installed in a separate opening or use approved engineering mulls
NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel. Woodgrain Textured Steel is NOT available in 8' doors and sidelites. Direct-Set sidelites can be used with all door types.

FRENCH DOORS

custom size DC-IGT ‡** pg. 31



460DC-IGT
pg. 13

460DC-IGT
pg. 13

DESIGNER™ PATIO DOORS



460DC
pg. 26

460DC
pg. 26



460DC
pg. 26

460DC
pg. 26

460DC
pg. 26

VINYL SLIDING PATIO DOORS



only available in 2-lite configuration
pg. 75

** Requires an additional 4-week lead time

‡ All transoms must be installed in a separate opening or use approved engineering mulls

NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel. Woodgrain Textured Steel is NOT available in 8' doors and sidelites. Direct-Set sidelites can be used with all door types.